The NEW ENGLAND JOURNAL of MEDICINE

APPENDIX 2

SUBSCRIBE

CURRENT ISSUE

PAST ISSUES | COLLECTIONS | HELP

Search NEJM

More Options

Please sign in for full text and personal services

ORIGINAL ARTICLE

◆ Previous

Volume 325:533-538

August 22, 1991

Number 8

Next ▶

Activation by extracellular nucleotides of chloride secretion in the airway epithelia of patients with cystic **fibrosis**

MR Knowles, LL Clarke, and RC Boucher

Abstract

BACKGROUND. Cystic fibrosis is characterized by abnormal electrolyte transport across the epithelia of the airways. In particular, there is excessive sodium absorption and deficient chloride secretion. Drugs that block excessive sodium absorption may provide clinical benefit in cystic fibrosis, but there are no available therapeutic agents to improve chloride secretion. In vitro studies in cultured human-airway epithelia indicate that triphosphate nucleotides (ATP and UTP) induce chloride secretion

TOOLS & SERVICES

- Add to Personal Archive
- Add to Citation Manager
- Notify a Friend
- E-mail When Cited

MORE INFORMATION

- Find Similar Articles
- ▶ PubMed Citation

through apical-membrane purinergic receptors. METHODS. We tested the ability of nucleotides to induce chloride secretion in vivo in 9 normal subjects and 12 patients with cystic fibrosis by measuring responses of nasal transepithelial potential difference (PD) to superfusion of nucleotides. Changes in transepithelial bioelectric properties and the permeability of the apical membrane to chloride in response to extracellular (apical) UTP were determined with ion-selective microelectrodes in cultured nasal epithelia. RESULTS. ATP and UTP induced chloride secretion in vivo in both groups. At their maximal effective concentrations of 10(-4) M, ATP and UTP were more effective chloride secretagogues in the patients with cystic fibrosis (mean [+/- SE] change in PD, -19.8 +/- 1.4 mV and -15.0 +/- 1.7 mV, respectively) than in the normal subjects (-6.9 +/- 0.6 mV and -8.1 +/- 0.9 mV, respectively). Microelectrode studies established that extracellular UTP stimulated a larger increase in PD and chloride secretory current in epithelial cells from patients with cystic fibrosis than in cells from normal subjects, by actions localized to the apical membrane. CONCLUSIONS. Extracellular nucleotides are effective in vivo chloride secretagogues in the nasal epithelia of patients with cystic fibrosis. The equipotency of ATP and UTP suggests that the effect is mediated by P2 nucleotide receptors. Selected nucleotides, such as UTP or nucleotide analogues, should be investigated as therapeutic agents for lung disease in cystic

fibrosis.

Source Information

Department of Medicine, University of North Carolina, Chapel Hill 27599.

This article has been cited by other articles:

- Blouquit, S., Regnier, A., Dannhoffer, L., Fermanian, C., Naline, E., Boucher, R., Chinet, T. (2006). Ion and Fluid Transport Properties of Small Airways in Cystic Fibrosis. *Am J Respir Crit Care Med* 174: 299-305 [Abstract] [Full Text]
- Grubb, B. R., Rogers, T. D., Diggs, P. C., Boucher, R. C., Ostrowski, L. E. (2006). Culture of murine nasal epithelia: model for cystic fibrosis. *Am. J. Physiol.* 290: L270-L277 [Abstract] [Full Text]
- Govindaraju, V., Martin, J. G., Maghni, K., Ferraro, P., Michoud, M.-C. (2005). The Effects of Extracellular Purines and Pyrimidines on Human Airway Smooth Muscle Cells. J. Pharmacol. Exp. Ther. 315: 941-948 [Abstract] [Full Text]
- Qi, A.-D., Wolff, S. C., Nicholas, R. A. (2005). The Apical Targeting Signal of the P2Y2 Receptor Is Located in Its First Extracellular Loop. *J. Biol. Chem.* 280: 29169-29175 [Abstract] [Full Text]
- Clayton, A., Holland, E., Pang, L., Knox, A. (2005). Interleukin-1 {beta} Differentially Regulates {beta} 2 Adrenoreceptor and Prostaglandin E2-mediated cAMP Accumulation and Chloride Efflux from Calu-3 Bronchial Epithelial Cells: ROLE OF RECEPTOR CHANGES, ADENYLYL CYCLASE, CYCLO-OXYGENASE 2, AND PROTEIN KINASE A. J. Biol. Chem. 280: 23451-23463 [Abstract] [Full Text]
- Ribeiro, C. M. P., Paradiso, A. M., Carew, M. A., Shears, S. B., Boucher, R. C. (2005). Cystic Fibrosis Airway Epithelial Ca2+i Signaling: THE MECHANISM FOR THE LARGER AGONIST-MEDIATED Ca2+i SIGNALS IN HUMAN CYSTIC FIBROSIS AIRWAY EPITHELIA. J. Biol. Chem. 280: 10202-10209 [Abstract] [Full Text]
- Gov, N. S., Safran, S. A. (2005). Red Blood Cell Membrane Fluctuations and Shape Controlled by ATP-Induced Cytoskeletal Defects. *Biophys. J* 88: 1859-1874 [Abstract] [Full Text]
- Abraham, W. M., Bourdelais, A. J., Sabater, J. R., Ahmed, A., Lee, T. A., Serebriakov, I., Baden, D. G. (2005). Airway Responses to Aerosolized Brevetoxins in an Animal Model of Asthma. Am J Respir Crit Care Med 171: 26-34 [Abstract] [Full Text]
- Boucher, R.C. (2004). New concepts of the pathogenesis of cystic fibrosis lung disease. Eur Respir J 23: 146-158 [Abstract] [Full Text]
- Picher, M., Burch, L. H., Boucher, R. C. (2004). Metabolism of P2 Receptor Agonists in Human Airways: IMPLICATIONS FOR MUCOCILIARY CLEARANCE AND CYSTIC FIBROSIS. J. Biol. Chem. 279: 20234-20241 [Abstract] [Full Text]
- Marcet, B., Chappe, V., Delmas, P., Verrier, B. (2004). Pharmacological and Signaling Properties
 of Endogenous P2Y1 Receptors in Cystic Fibrosis Transmembrane Conductance RegulatorExpressing Chinese Hamster Ovary Cells. J. Pharmacol. Exp. Ther. 309: 533-539
 [Abstract] [Full Text]
- Zsembery, A., Fortenberry, J. A., Liang, L., Bebok, Z., Tucker, T. A., Boyce, A. T., Braunstein, G. M., Welty, E., Bell, P. D., Sorscher, E. J., Clancy, J. P., Schwiebert, E. M. (2004). Extracellular Zinc and ATP Restore Chloride Secretion across Cystic Fibrosis Airway Epithelia by Triggering Calcium Entry. J. Biol. Chem. 279: 10720-10729 [Abstract] [Full Text]
- Becker, M. N., Sauer, M. S., Muhlebach, M. S., Hirsh, A. J., Wu, Q., Verghese, M. W., Randell,

- S. H. (2004). Cytokine Secretion by Cystic Fibrosis Airway Epithelial Cells. Am J Respir Crit Care Med 169: 645-653 [Abstract] [Full Text]
- Son, M., Ito, Y., Sato, S., Ishikawa, T., Kondo, M., Nakayama, S., Shimokata, K., Kume, H. (2004). Apical and Basolateral ATP-Induced Anion Secretion in Polarized Human Airway Epithelia. *Am J Respir Cell Mol Biol* 30: 411-419 [Abstract] [Full Text]
- Davis, I. C., Sullender, W. M., Hickman-Davis, J. M., Lindsey, J. R., Matalon, S. (2004). Nucleotide-mediated inhibition of alveolar fluid clearance in BALB/c mice after respiratory syncytial virus infection. *Am. J. Physiol.* 286: L112-120 [Abstract] [Full Text]
- Middleton, P. G., Pollard, K. A., Donohoo, E., Wheatley, J. R., Geddes, D. M., Alton, E. W. (2003). Airway Surface Liquid Calcium Modulates Chloride Permeability in the Cystic Fibrosis Airway. Am J Respir Crit Care Med 168: 1223-1226 [Abstract] [Full Text]
- Gibson, R. L., Burns, J. L., Ramsey, B. W. (2003). Pathophysiology and Management of Pulmonary Infections in Cystic Fibrosis. Am J Respir Crit Care Med 168: 918-951 [Abstract] [Full Text]
- Schafer, R., Sedehizade, F., Welte, T., Reiser, G. (2003). ATP- and UTP-activated P2Y receptors differently regulate proliferation of human lung epithelial tumor cells. *Am. J. Physiol.* 285: L376-385 [Abstract] [Full Text]
- Picher, M., Burch, L. H., Hirsh, A. J., Spychala, J., Boucher, R. C. (2003). Ecto 5'-Nucleotidase and Nonspecific Alkaline Phosphatase. TWO AMP-HYDROLYZING ECTOENZYMES WITH DISTINCT ROLES IN HUMAN AIRWAYS. J. Biol. Chem. 278: 13468-13479 [Abstract] [Full Text]
- Robaye, B., Ghanem, E., Wilkin, F., Fokan, D., Van Driessche, W., Schurmans, S., Boeynaems, J.-M., Beauwens, R. (2003). Loss of Nucleotide Regulation of Epithelial Chloride Transport in the Jejunum of P2Y4-Null Mice. *Mol Pharmacol* 63: 777-783 [Abstract] [Full Text]
- MALL, M., GONSKA, T., THOMAS, J., SCHREIBER, R., SEYDEWITZ, H. H., KUEHR, J., BRANDIS, M., KUNZELMANN, K. (2003). Modulation of Ca2+-Activated Cl- Secretion by Basolateral K+ Channels in Human Normal and Cystic Fibrosis Airway Epithelia. *Pediatr Res* 53: 608-618 [Abstract] [Full Text]
- Leipziger, J. (2003). Control of epithelial transport via luminal P2 receptors. Am. J. Physiol. 284: F419-432 [Abstract] [Full Text]
- Johnson, F. L., Donohue, J. F., Shaffer, C. L. (2002). Improved Sputum Expectoration Following a Single Dose of INS316 in Patients With Chronic Bronchitis. *Chest* 122: 2021-2029 [Abstract] [Full Text]
- Tarran, R., Loewen, M. E., Paradiso, A. M., Olsen, J. C., Gray, M. A., Argent, B. E., Boucher, R. C., Gabriel, S. E. (2002). Regulation of Murine Airway Surface Liquid Volume by CFTR and Ca2+-activated Cl- Conductances. *J Gen Physiol* 120: 407-418 [Abstract] [Full Text]
- Yerxa, B. R., Sabater, J. R., Davis, C. W., Stutts, M. J., Lang-Furr, M., Picher, M., Jones, A. C., Cowlen, M., Dougherty, R., Boyer, J., Abraham, W. M., Boucher, R. C. (2002). Pharmacology of INS37217 [P1-(Uridine 5')-P4- (2'-deoxycytidine 5')tetraphosphate, Tetrasodium Salt], a Next-Generation P2Y2 Receptor Agonist for the Treatment of Cystic Fibrosis. *J. Pharmacol. Exp. Ther.* 302: 871-880 [Abstract] [Full Text]
- Rodgers, H.C., Knox, A.J. (2001). Pharmacological treatment of the biochemical defect in cystic fibrosis airways. *Eur Respir J* 17: 1314-1321 [Abstract] [Full Text]
- Kellerman, D. J. (2002). P2Y2 Receptor Agonists*: A New Class of Medication Targeted at Improved Mucociliary Clearance. *Chest* 121: 201S-205 [Abstract] [Full Text]
- Hoshino, M., Morita, S., Iwashita, H., Sagiya, Y., Nagi, T., Nakanishi, A., Ashida, Y., Nishimura, O., Fujisawa, Y., Fujino, M. (2002). Increased Expression of the Human Ca2+-activated Cl-Channel 1 (CaCC1) Gene in the Asthmatic Airway. Am J Respir Crit Care Med 165: 1132-1136 [Abstract] [Full Text]
- Lyczak, J. B., Cannon, C. L., Pier, G. B. (2002). Lung Infections Associated with Cystic Fibrosis. Clin. Microbiol. Rev. 15: 194-222 [Abstract] [Full Text]

- Schwiebert, E. M., Wallace, D. P., Braunstein, G. M., King, S. R., Peti-Peterdi, J., Hanaoka, K., Guggino, W. B., Guay-Woodford, L. M., Bell, P. D., Sullivan, L. P., Grantham, J. J., Taylor, A. L. (2002). Autocrine extracellular purinergic signaling in epithelial cells derived from polycystic kidneys. *Am. J. Physiol.* 282: F763-775 [Abstract] [Full Text]
- Knowles, M. R., Boucher, R. C. (2002). Mucus clearance as a primary innate defense mechanism for mammalian airways. *J. Clin. Invest.* 109: 571-577 [Full Text]
- Taira, M., Tamaoki, J., Nishimura, K., Nakata, J., Kondo, M., Takemura, H., Nagai, A. (2002). Adenosine A3 receptor-mediated potentiation of mucociliary transport and epithelial ciliary motility. *Am. J. Physiol.* 282: L556-562 [Abstract] [Full Text]
- KEELY, S. J., BARRETT, K. E. (2000). Regulation of Chloride Secretion: Novel Pathways and Messengers. *Annals NYAS Online* 915: 67-76 [Abstract] [Full Text]
- Chen, Y., Zhao, Y. H., Wu, R. (2001). Differential Regulation of Airway Mucin Gene Expression and Mucin Secretion by Extracellular Nucleotide Triphosphates. *Am J Respir Cell Mol Biol* 25: 409-417 [Abstract] [Full Text]
- Kanoh, S., Kondo, M., Tamaoki, J., Kobayashi, H., Motoyoshi, K., Nagai, A. (2001). Differential Regulations between Adenosine Triphosphate (ATP)- and Uridine Triphosphate-Induced Cl-Secretion in Bovine Tracheal Epithelium. Direct Stimulation of P1-like Receptor by ATP. Am J Respir Cell Mol Biol 25: 370-376 [Abstract] [Full Text]
- Dranoff, J. A., Masyuk, A. I., Kruglov, E. A., LaRusso, N. F., Nathanson, M. H. (2001). Polarized expression and function of P2Y ATP receptors in rat bile duct epithelia. *Am. J. Physiol.* 281: G1059-1067 [Abstract] [Full Text]
- Schlenker, T., Romac, J. M.-J., Sharara, A. I., Roman, R. M., Kim, S. J., Larusso, N., Liddle, R. A., Fitz, J. G. (1997). Regulation of biliary secretion through apical purinergic receptors in cultured rat cholangiocytes. *Am. J. Physiol.* 273: G1108-1117 [Abstract] [Full Text]
- HEBESTREIT, A., KERSTING, U., BASLER, B., JESCHKE, R., HEBESTREIT, H. (2001). Exercise Inhibits Epithelial Sodium Channels in Patients with Cystic Fibrosis. *Am J Respir Crit Care Med* 164: 443-446 [Abstract] [Full Text]
- TAMAOKI, J., KONDO, M., KURODA, H., AOSHIBA, K., TAKEYAMA, K., NAKATA, J., NAGAI, A. (2001). Validity and Safety of Sputum Induction by Inhaled Uridine 5'-Triphosphate. Am J Respir Crit Care Med 164: 378-381 [Abstract] [Full Text]
- Paradiso, A. M., Ribeiro, C. M.P., Boucher, R. C. (2000). Polarized Signaling via Purinoceptors in Normal and Cystic Fibrosis Airway Epithelia. *J Gen Physiol* 117: 53-68 [Abstract] [Full Text]
- Nguyen, T. D., Moody, M. W., Savard, C. E., Lee, S. P. (1998). Secretory effects of ATP on nontransformed dog pancreatic duct epithelial cells. Am. J. Physiol. 275: G104-113
 [Abstract] [Full Text]
- Li, Y., Kuang, K., Yerxa, B., Wen, Q., Rosskothen, H., Fischbarg, J. (2001). Rabbit conjunctival epithelium transports fluid, and P2Y22 receptor agonists stimulate Cl{-} and fluid secretion. Am. J. Physiol. 281: C595-602 [Abstract] [Full Text]
- Davis, P., Silski, C., Perez, A (1994). cAMP does not regulate [Ca2+]i in human tracheal epithelial cells in primary culture. *J Cell Sci* 107: 2899-2907 [Abstract]
- Weinberger, S. E. (1993). Recent Advances in Pulmonary Medicine- First of Two Parts. NEJM 328: 1389-1397 [Full Text]
- Smitham, J. E., Barrett, K. E. (2001). Differential effects of apical and basolateral uridine triphosphate on intestinal epithelial chloride secretion. *Am. J. Physiol.* 280: C1431-1439 [Abstract] [Full Text]
- Morse, D. M., Smullen, J. L., Davis, C. W. (2001). Differential effects of UTP, ATP, and adenosine on ciliary activity of human nasal epithelial cells. *Am. J. Physiol.* 280: C1485-1497 [Abstract] [Full Text]
- Davis, P. B. (1994). Evolution of Therapy for Cystic Fibrosis. NEJM 331: 672-673 [Full Text]
- Brosnan, C. F., Scemes, E., Spray, D. C. (2001). Cytokine Regulation of Gap Junction Connectivity: An Open-and-Shut Case or Changing Partners at the Nexus?. *Am J Pathol* 158:

- 1565-1569 [Full Text]
- Ramsey, B. W. (1996). Management of Pulmonary Disease in Patients with Cystic Fibrosis. NEJM 335: 179-188 [Full Text]
- Ackerman, M. J., Clapham, D. E. (1997). Ion Channels -- Basic Science and Clinical Disease. NEJM 336: 1575-1586 [Full Text]
- Egan, T. M., Detterbeck, F. C., Mill, M. R., Paradowski, L. J., Lackner, R. P., Ogden, W. D., Yankaskas, J. R., Westerman, J. H., Thompson, J. T., Weiner, M. A., Cairns, E. L., Wilcox, B. R. (1995). Improved results of lung transplantation for patients with cystic fibrosis. *J Thorac Cardiovasc Surg* 109: 224-235 [Abstract] [Full Text]
- Braunstein, G. M., Roman, R. M., Clancy, J. P., Kudlow, B. A., Taylor, A. L., Shylonsky, V. Gh., Jovov, B., Peter, K., Jilling, T., Ismailov, I. I., Benos, D. J., Schwiebert, L. M., Fitz, J. G., Schwiebert, E. M. (2001). Cystic Fibrosis Transmembrane Conductance Regulator Facilitates ATP Release by Stimulating a Separate ATP Release Channel for Autocrine Control of Cell Volume Regulation. J. Biol. Chem. 276: 6621-6630 [Abstract] [Full Text]
- Fujihara, T., Murakami, T., Fujita, H., Nakamura, M., Nakata, K. (2001). Improvement of Corneal Barrier Function by the P2Y2 Agonist INS365 in a Rat Dry Eye Model. *IOVS* 42: 96-100 [Abstract] [Full Text]
- Mall, M., Wissner, A., Gonska, T., Calenborn, D., Kuehr, J., Brandis, M., Kunzelmann, K. (2000). Inhibition of Amiloride-Sensitive Epithelial Na+ Absorption by Extracellular Nucleotides in Human Normal and Cystic Fibrosis Airways. *Am J Respir Cell Mol Biol* 23: 755-761 [Abstract] [Full Text]
- Gabriel, S. E., Makhlina, M., Martsen, E., Thomas, E. J., Lethem, M. I., Boucher, R. C. (2000). Permeabilization via the P2X7 Purinoreceptor Reveals the Presence of a Ca2+-activated Cl-Conductance in the Apical Membrane of Murine Tracheal Epithelial Cells. *J. Biol. Chem.* 275: 35028-35033 [Abstract] [Full Text]
- Devor, D. C., Bridges, R. J., Pilewski, J. M. (2000). Pharmacological modulation of ion transport across wild-type and Delta F508 CFTR-expressing human bronchial epithelia. *Am. J. Physiol.* 279: C461-479 [Abstract] [Full Text]
- Clarke, L. L., Harline, M. C., Gawenis, L. R., Walker, N. M., Turner, J. T., Weisman, G. A. (2000). Extracellular UTP stimulates electrogenic bicarbonate secretion across CFTR knockout gallbladder epithelium. *Am. J. Physiol.* 279: G132-138 [Abstract] [Full Text]
- Kichenin, K., Decollogne, S., Angignard, J., Seman, M. (2000). Cardiovascular and pulmonary response to oral administration of ATP in rabbits. *J. Appl. Physiol.* 88: 1962-1968 [Abstract] [Full Text]
- Mall, M., Wissner, A., Seydewitz, H. H., Kuehr, J., Brandis, M., Greger, R., Kunzelmann, K. (2000). Defective cholinergic Cl- secretion and detection of K+ secretion in rectal biopsies from cystic fibrosis patients. *Am. J. Physiol.* 278: G617-624 [Abstract] [Full Text]
- WILSON, P. D., HOVATER, J. S., CASEY, C. C., FORTENBERRY, J. A., SCHWIEBERT, E. M. (1999). ATP Release Mechanisms in Primary Cultures of Epithelia Derived from the Cysts of Polycystic Kidneys. J Am Soc Nephrol 10: 218-229 [Abstract] [Full Text]
- Sudo, E., Lee, M. M., Boyd, W. A., King, M. (2000). Effects of Methacholine and Uridine 5'-Triphosphate on Tracheal Mucus Rheology in Mice. Am J Respir Cell Mol Biol 22: 373-379 [Abstract] [Full Text]
- Singh, A. K., Devor, D. C., Gerlach, A. C., Gondor, M., Pilewski, J. M., Bridges, R. J. (2000). Stimulation of Cl- Secretion by Chlorzoxazone. *J. Pharmacol. Exp. Ther.* 292: 778-787 [Abstract] [Full Text]
- Kishore, B. K., Ginns, S. M., Krane, C. M., Nielsen, S., Knepper, M. A. (2000). Cellular localization of P2Y2 purinoceptor in rat renal inner medulla and lung. *Am. J. Physiol.* 278: F43-51 [Abstract] [Full Text]
- Sabater, J. R., Mao, Y. M., Shaffer, C., James, M. K., O'Riordan, T. G., Abraham, W. M. (1999). Aerosolization of P2Y2-receptor agonists enhances mucociliary clearance in sheep. *J. Appl.*

- Physiol. 87: 2191-2196 [Abstract] [Full Text]
- GEDDES, D M, ALTON, E W F W (1999). The CF gene: 10 years on. *Thorax* 54: 1052-1054 [Full Text]
- McCoy, D. E., Taylor, A. L., Kudlow, B. A., Karlson, K., Slattery, M. J., Schwiebert, L. M., Schwiebert, E. M., Stanton, B. A. (1999). Nucleotides regulate NaCl transport in mIMCD-K2 cells via P2X and P2Y purinergic receptors. *Am. J. Physiol.* 277: F552-559 [Abstract] [Full Text]
- Saleh, A., Figarella, C., Kammouni, W., Marchand-Pinatel, S., Lazdunski, A., Tubul, A., Brun, P., Merten, M. D. (1999). Pseudomonas aeruginosa Quorum-Sensing Signal Molecule N-(3-Oxododecanoyl)-L-Homoserine Lactone Inhibits Expression of P2Y Receptors in Cystic Fibrosis Tracheal Gland Cells. *Infect. Immun.* 67: 5076-5082 [Abstract] [Full Text]
- NOONE, P. G., BENNETT, W. D., REGNIS, J. A., ZEMAN, K. L., CARSON, J. L., KING, M., BOUCHER, R. C., KNOWLES, M. R. (1999). Effect of Aerosolized Uridine-5'-Triphosphate on Airway Clearance with Cough in Patients with Primary Ciliary Dyskinesia. Am J Respir Crit Care Med 160: 144-149 [Abstract] [Full Text]
- Fedan, J. S. (1999). Nucleosides and Nucleotides in the Lung. Role in Asthma. *Am J Respir Cell Mol Biol* 21: 7-9 [Full Text]
- Gruber, A. D., Schreur, K. D., Ji, H.-L., Fuller, C. M., Pauli, B. U. (1999). Molecular cloning and transmembrane structure of hCLCA2 from human lung, trachea, and mammary gland. *Am. J. Physiol.* 276: C1261-1270 [Abstract] [Full Text]
- Clarke, L. L., Harline, M. C., Otero, M. A., Glover, G. G., Garrad, R. C., Krugh, B., Walker, N. M., González, F. A., Turner, J. T., Weisman, G. A. (1999). Desensitization of P2Y2 receptoractivated transepithelial anion secretion. *Am. J. Physiol.* 276: C777-787 [Abstract] [Full Text]
- Devor, D. C., Pilewski, J. M. (1999). UTP inhibits Na+ absorption in wild-type and Delta F508 CFTR-expressing human bronchial epithelia. *Am. J. Physiol.* 276: C827-837 [Abstract] [Full Text]
- Bronsveld, I., Bijman, J., Mekus, F., Ballmann, M., Veeze, H. J, Tümmler, B. (1999). Clinical presentation of exclusive cystic fibrosis lung disease. *Thorax* 54: 278-281 [Abstract] [Full Text]
- SCHULTZ, B. D., SINGH, A. K., DEVOR, D. C., BRIDGES, R. J. (1999). Pharmacology of CFTR Chloride Channel Activity. *Physiol. Rev* 79: 109-144 [Abstract] [Full Text]
- GRUBB, B. R., BOUCHER, R. C. (1999). Pathophysiology of Gene-Targeted Mouse Models for Cystic Fibrosis. *Physiol. Rev* 79: 193-214 [Abstract] [Full Text]
- Schwiebert, E. M. (1999). ABC transporter-facilitated ATP conductive transport. *Am. J. Physiol.* 276: C1-8 [Abstract] [Full Text]
- Pedersen, P. S., Frederiksen, O., Holstein-Rathlou, N.-H., Larsen, P. L., Qvortrup, K. (1999). Ion transport in epithelial spheroids derived from human airway cells. *Am. J. Physiol.* 276: L75-80 [Abstract] [Full Text]
- Taylor, A. L., Kudlow, B. A., Marrs, K. L., Gruenert, D. C., Guggino, W. B., Schwiebert, E. M. (1998). Bioluminescence detection of ATP release mechanisms in epithelia. *Am. J. Physiol.* 275: C1391-1406 [Abstract] [Full Text]
- Garrad, R. C., Otero, M. A., Erb, L., Theiss, P. M., Clarke, L. L., Gonzalez, F. A., Turner, J. T., Weisman, G. A. (1998). Structural Basis of Agonist-induced Desensitization and Sequestration of the P2Y2 Nucleotide Receptor. CONSEQUENCES OF TRUNCATION OF THE C TERMINUS. J. Biol. Chem. 273: 29437-29444 [Abstract] [Full Text]
- Devor, D. C., Schultz, B. D. (1998). Ibuprofen Inhibits Cystic Fibrosis Transmembrane Conductance Regulator-mediated Cl- Secretion. J. Clin. Invest. 102: 679-687
 [Abstract] [Full Text]
- Pascual, J. M. S., McKenzie, A., Yankaskas, J. R., Falck, J. R., Zeldin, D. C. (1998). Epoxygenase Metabolites of Arachidonic Acid Affect Electrophysiologic Properties of Rat Tracheal Epithelial Cells1. J. Pharmacol. Exp. Ther. 286: 772-779 [Abstract] [Full Text]
- Turner, J. T., Redman, R. S., Camden, J. M., Landon, L. A., Quissell, D. O. (1998). A rat parotid gland cell line, Par-C10, exhibits neurotransmitter-regulated transepithelial anion secretion. *Am. J.*

- Physiol. 275: C367-374 [Abstract] [Full Text]
- Iwase, N., Sasaki, T., Shimura, S., Fushimi, T., Okayama, H., Hoshi, H., Irokawa, T., Sasamori, K., Takahashi, K., Shirato, K. (1997). Signature Current of SO2-induced Bronchitis in Rabbit. *J. Clin. Invest.* 99: 1651-1661 [Abstract] [Full Text]
- Erb, L., Garrad, R., Wang, Y., Quinn, T., Turner, J. T., Weisman, G. A. (1995). Site-directed Mutagenesis of P[IMAGE] Purinoceptors. J. Biol. Chem. 270: 4185-4188 [Abstract] [Full Text]
- Lazarowski, E. R., Paradiso, A. M., Watt, W. C., Harden, T. K., Boucher, R. C. (1997). UDP activates a mucosal-restricted receptor on human nasal epithelial cells that is distinct from the P2Y2 receptor. *Proc. Natl. Acad. Sci. U. S. A.* 94: 2599-2603 [Abstract] [Full Text]
- Friedberg, I., Belzer, I., Oged-Plesz, O., Kuebler, D. (1995). Activation of Cell Growth Inhibitor by Ectoprotein Kinase-mediated Phosphorylation in Transformed Mouse Fibroblasts. *J. Biol. Chem.* 270: 20560-20567 [Abstract] [Full Text]
- Li, C., Ramjeesingh, M., Bear, C. E. (1996). Purified Cystic Fibrosis Transmembrane Conductance Regulator (CFTR) Does Not Function as an ATP Channel. *J. Biol. Chem.* 271: 11623-11626 [Abstract] [Full Text]
- Xie, W., Kaetzel, MarciaA., Bruzik, KarolS., Dedman, JohnR., Shears, StephenB., Nelson, DeborahJ. (1996). Inositol 3,4,5,6-Tetrakisphosphate Inhibits the Calmodulin-dependent Protein Kinase II-activated Chloride Conductance in T84 Colonic Epithelial Cells. *J. Biol. Chem.* 271: 14092-14097 [Abstract] [Full Text]
- Collins, F. (1992). Cystic fibrosis: molecular biology and therapeutic implications. *Science* 256: 774-779 [Abstract]
- Jiang, C, Finkbeiner, W., Widdicombe, J., McCray, P. Jr, Miller, S. (1993). Altered fluid transport across airway epithelium in cystic fibrosis. *Science* 262: 424-427 [Abstract]
- Clarke, L. L., Grubb, B. R., Gabriel, S. E., Smithies, O., Koller, B. H., Boucher, R. C. (1992). Defective Epithelial Chloride Transport in a Gene-Targeted Mouse Model of Cystic Fibrosis. *Science* 257: 1125-1128 [Abstract]

HOME | SUBSCRIBE | SEARCH | CURRENT ISSUE | PAST ISSUES | COLLECTIONS | HELP

Comments and questions? Please contact us.

The New England Journal of Medicine is owned, published, and <u>copyrighted</u> © 2006 <u>Massachusetts Medical Society</u>. All rights reserved.